



A Division of Ross & Barr, Inc.

# QUALITY, VERSATILITY AND VALUE

**4TH EDITION CATALOG** 

# COVERWORX **OUR STORY**

## COVERWORX RECREATIONAL ARCHITECTURE

Our Steelworx steel-frame shelters and structures are custom crafted from durable, high gauge tubular steel. The beauty and creativity behind every one of our Steelworx shelters comes from the years of experience held by our ASTM-certified welders, structural fabrication specialists and skilled design engineers who carefully handcraft to the highest industry quality standards. Utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting, all shelters come ready to assemble with no cutting, welding, or painting required.

Standard finish is comprised of sand blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors. Roofing provided is a pre-cut high-quality 24 gauge steel panel, and is offered in a variety of colors and profiles.

A few of the virtually unlimited options for Steelworx shelters include handrails, overhead lattice round or custom designed support columns, Pine or Cedar Tongue and Groove overhead decking and cupolas. Corrugated and standing seam metal roofing available on all structures. Standard shapes available include Squares, Hexagonal, Octagonal, and Rectangular Open Gable or Hipped ends. Custom shapes, combinations of shapes, rounded or curved tops are always welcome and are an exciting way to add class and style to any landscape setting imaginable. Consider a Coverworx "Vented Top" option to your Steelworx structure. It's a functional way to address style or venting needs. The versatility of Coverworx structure design is only limited to your imagination!



# **STEELWORX**





Hips
Cantilevered
Octagons
Hexagons
Squares
Pergolas & Entry Arches
Kiosks
Walking Bridges

## WOODWORX





## **OPTIONS & UPGRADES**



Specialty Products & Amphitheatres	25
Options & Upgrades	
Extras & Site Furnishings	
Warranty	
Color Options	
•	



7										
9										
11										
13										
15		•••••	••••		••••	••••	••••	••••	••••	
17		•••••	••••		••••	••••	••••	••••	••••	
19	•••••	•••••	•••••	••••	••••	••••	••••	••••	••••	••••
	••••	•••••	••••		••••	••••	••••	•••	••••	••••
		•••••			••••	••••		•••	••••	••••









# STEELWORX GABLES

# **OPEN-END CANOPIES**





Steelworx Gables are available in many styles, colors and optional features. A Coverworx Steelworx gable canopy is the most economical way to provide shelter without compromising functionality and durability. Each gable shelter is hand-crafted with the utmost attention to detail and the highest industry quality standards.

STOCK & CUSTOM SHELTER OPTIONS, **SEE PAGE 29-30** FOR SHELTER EXTRAS & FURNISHINGS, **SEE PAGE 31-32** FRAME & ROOF COLOR OPTIONS, **SEE PAGE 33-34** 



3







2-POST GABLE







BASIC GABLE



SPLIT-TOP GABLE

VENTED GABLE































DOWNCURVE GABLE

**RECESSED GABLE** 









# STEELWORX GABLES

# **OPEN-END CANOPIES**

Steelworx Gables are available in many styles, colors and optional features. A Coverworx Steelworx gable canopy is the most economical way to provide shelter without compromising functionality and durability. Each gable shelter is hand-crafted with the utmost attention to detail and the highest industry quality standards.

STOCK & CUSTOM SHELTER OPTIONS, SEE PAGE 29-30 FOR SHELTER EXTRAS & FURNISHINGS, SEE PAGE 31-32 FRAME & ROOF COLOR OPTIONS, SEE PAGE 33-34





SUNBURST GABLE



ARCHITECTURAL END GABLE

# steelworx **CROSSING**

# SHELTERS



Steelworx Crossing Shelters can be arranged in a variety of ways to transform a basic gable or hip shelter into a dynamic centerpiece for your site. Choose from the standards shown here or mix and match gable and hip ends. Other possibilities include adding ornate design elements or architectural end gables.

STOCK & CUSTOM SHELTER OPTIONS, **SEE PAGE 29-30** FOR SHELTER EXTRAS & FURNISHINGS, **SEE PAGE 31-32** FRAME & ROOF COLOR OPTIONS, **SEE PAGE 33-34** 







7

**CROSSING GABLE** 



CROSSING T GABLE



CROSSING HIP



**CROSSING T HIP** 



































HP-2044-SW-VT

# STEELWORX HIPS

# **CLOSED-END CANOPIES**

Steelworx Hips provide a more shelter than a gable canopy while using a similar column layout and roof area. These canopies are great when a more finished look is needed.

STOCK & CUSTOM SHELTER OPTIONS, SEE PAGE 29-30 FOR SHELTER EXTRAS & FURNISHINGS, **SEE PAGE 31-32** FRAME & ROOF COLOR OPTIONS, SEE PAGE 33-34









2-POST HIP



**VENTED HIP** 

# STEELWORX **CANTILEVERED**

# OPEN-SIDED CANOPIES





Steelworx Cantilevered shelters are ideal for sites without the extra space for a lot of columns. These canopies work great as dugout and bleacher shelters.

STOCK & CUSTOM SHELTER OPTIONS, **SEE PAGE 29-30** FOR SHELTER EXTRAS & FURNISHINGS, **SEE PAGE 31-32** FRAME & ROOF COLOR OPTIONS, **SEE PAGE 33-34** 



CANTILEVER



CURVED CANTILEVER



RADIUS CANTILEVER



CANTILEVER DUGOUT









CENTER-POST DUGOUT

5-POST DUGOUT





































STRETCHED VENTED OCTAGON

STRETCHED OCTAGON

# STEELWORX OCTAGONS

# 8-SIDED CANOPIES

Steelworx Octagons provide a very decorative and elegant looking canopy. They have a timeless appeal that works well with any site.

STOCK & CUSTOM SHELTER OPTIONS, SEE PAGE 29-30 FOR SHELTER EXTRAS & FURNISHINGS, SEE PAGE 31-32 FRAME & ROOF COLOR OPTIONS, SEE PAGE 33-34



SINGLE-POST OCTAGON



VENTED OCTAGON



2-POST OCTAGON



STANDARD OCTAGON

# steelworx **HEXAGONS**

# 6-SIDED CANOPIES



Steelworx Hexagons provide the same elegance and timelessness of an octagon canopy with the benefit of having two less columns.

STOCK & CUSTOM SHELTER OPTIONS, **SEE PAGE 29-30** FOR SHELTER EXTRAS & FURNISHINGS, **SEE PAGE 31-32** FRAME & ROOF COLOR OPTIONS, **SEE PAGE 33-34** 



5

STRETCHED HEXAGON



VENTED HEXAGON



STANDARD HEXAGON



SINGLE-POST HEXAGON



STRETCHED VENTED HEXAGON









2-POST HEXAGON

Double-Pitch Hexagon































STANDARD SQUARE

VENTED SQUARE



SQ-2424-SW-VT



Steelworx Squares feature the look of a hip canopy with the added appeal of having four equal sides and a single peak. Larger square canopies will require additional columns around the perimeter.

STOCK & CUSTOM SHELTER OPTIONS, SEE PAGE 29-30 FOR SHELTER EXTRAS & FURNISHINGS, **SEE PAGE 31-32** FRAME & ROOF COLOR OPTIONS, SEE PAGE 33-34





SINGLE-POST SQUARE



### 2-POST SQUARE

# STEELWORX PERGOLAS & ENTRY ARCHES

# **OPEN-AIR STRUCTURES**



Steelworx Pergolas & Arbors are custom in nature due to the unlimited placement of columns, supporting beams and lattice members. Pergolas and Arbors come standard with tubular steel members, but can also be combined with pressure treated wood beams and lattice.

Entrance Frames offer a focal point to a park's entrance. Using the latest technology in computer controlled machinery, park names, custom logos or decorative lattice can be cut from solid steel and added to enhance an entrance frame.

All pergolas and trellises vary in size and spacing. Please inquire about a structure to fit your exact needs.



9

ARCH ENTRANCE

PERGOLA



ARCHWAY ENTRANCE SIGN

**RADIUS PERGOLA** 

NIN NED PARA
ENTRANCE SIGN





ARBOR



**RADIUS ARBOR** 







www.coverworx.com • info@coverworx.com









# STEELWORX **KIOSKS**

## **INFORMATION CENTERS**

# COVERWORX WALKING BRIDGES FOR PEDESTRIANS



Coverworx Kiosk exemplify versatility. With many frame choices and styles our lockable and hinged Lexan panel display cases are useful for any application. Choose single sided or double sided boards (where applicable). The quantity of boards needed is up to you! Our frames utilize our polyester powder coated finish with our basic 24 gauge multirib roofing panels as our basic roofing. Custom designs and styles as always are welcome.

STOCK & CUSTOM SHELTER OPTIONS, SEE PAGE 29-30 FOR SHELTER EXTRAS & FURNISHINGS, SEE PAGE 31-32 FRAME & ROOF COLOR OPTIONS, SEE PAGE 33-34



SINGLE POST



2-POST



3-POST



4-POST







WALKWAY BRIDGE **SMALL** 

WALKWAY BRIDGE MEDIUM



SINGLE-POST SQUARE



2-POST GABLE

HEXAGONAL



**BENT DIAMOND** 





Coverworx Walking / Pedestrian bridges are versatile and gorgeous. Utilizing our polyester powder coated framework our tube steel supports and connectors are pre-welded and shipped with little or no field bolting required. Our Coverworx engineers will work with you and your soil condition and/or embankment condition to come up with a design that is not only durable and timeless but gorgeous for your site. Custom sizes only, pricing and designs are worked on a per-project basis.

STOCK & CUSTOM SHELTER OPTIONS, SEE PAGE 29-30 FOR SHELTER EXTRAS & FURNISHINGS, SEE PAGE 31-32 FRAME & ROOF COLOR OPTIONS, SEE PAGE 33-34





WALKWAY BRIDGE LARGE

# WOODWORX WOODWORX

# **GLUE-LAMINATED**



From standard gable shelters to custom centerpieces, all Wordworx shelters come standard with 2" x 6" Southern yellow pine tongue & groove decking with metal or shingle roofing, glue laminated framing, pressure treated columns and powder coated steel connecting plates. Columns and rafters can be upgraded to powder coated tubular steel as seen below. Various roof and column options are available. Vented Top design available on may Woodworx models.



WAVE BEAM GABLE



STANDARD SHAPES HEXAGONS, OCTAGONS, SQUARES & MORE!







ARCH BEAM GABLE

RETRO GABLE



















# coverworx **SPECIALTY**

## **SPECIALTY PRODUCTS & AMPHITHEATRES**

Coverworx AWS certified welders and craftsmen carefully handcraft tubular steel framework to the highest industry quality standards utilizing a free-span design without the need for exposed fasteners, open truss members and no possibility for bird nesting. All shelters come ready to assemble with no cutting, welding or painting required.

Standard finish is comprised of sand-blasted, zinc-primed, 4-6 mil thick polyester powder coating available in a variety of standard colors. Roofing provided is a pre-cut, high quality 24 gauge steel panel, and is offered in a variety of colors and profiles.

STOCK & CUSTOM SHELTER OPTIONS, **SEE PAGE 29-30** FOR SHELTER EXTRAS & FURNISHINGS, **SEE PAGE 31-32** FRAME & ROOF COLOR OPTIONS, **SEE PAGE 33-34** 







S5x35 X-POST MONOSLOPE



























## **SPECIALTY PRODUCTS & AMPHITHEATRES**

Coverworx Specialty Products consist of Amphitheaters, Bus Stops, Laser Cutting as well as Carport and Restroom and Dumpster Enclosures. Coverworx is versatile enough to handle your Custom Designs. If you can dream it, Coverworx can fabricate it. We specialize in creating custom designs.

The Coverworx versatility really comes though in our specialty products and amphitheaters. Our custom laser cutting capabilities along with our unmatched quality in wood or steel and design can create a beautiful custom project in any setting. Available in virtually any size imaginable, let us know your needs.

STOCK & CUSTOM SHELTER OPTIONS, SEE PAGE 29-30 FOR SHELTER EXTRAS & FURNISHINGS, SEE PAGE 31-32 FRAME & ROOF COLOR OPTIONS, SEE PAGE 33-34






# COVERWORX **SPECIALTY**



# COVERWORX **OPTIONS**


## **OPTIONS & UPGRADES**

All roof panels are Galvalume coated 24 ga. steel with a white bottom and a 20 year warranted Kynar 500 top finish available in a variety of colors (see page 31). Panels are fastened to frame with either exposed painted screws or concealed clips as with standing seam panels. Some panels may have color limitations. Fiberglass shingles are available upon request.




## **EAVE OPTIONS**











LOW

HIGH (STANDARD)

# COVERWORX **EXTRAS**

## SITE FURNISHINGS

Since 1987, Coverworx has provided a combination of the finest quality craftsmanship and unique design to bring you our full line of site accessories. Special request? Coverworx specializes in custom fabrication.

## **BENCHES & BIKE RACKS**



**Backless Steelworx** SUPPORTS: 1/2" x 2" steel bar. One-piece welded unit. May be surface mounted or freestanding. SEAT SURFACE: ¼" x 1 ½" steel bar and 1 5/16" O.D. steel pipe. FINISH: Polyester powder coated.



Economy SUPPORTS: 2 3/8" O.D. galvanized pipe with ends capped. SLATS: 2" x 4" nominal. Available with #1 pressure treated pine, redwood, Douglas Fir, Pau Lope®, anodized aluminum, or recycled plastic. FINISH: Galvanized pipe with cold galvanizing finish on all welds.



Verve SUPPORTS: 1/2" x 2" steel bar. One-piece welded unit. May be surface mounted or free-standing. SEAT SURFACE: 1/4" x 1 1/2" steel bar and 1 5/16" O.D. steel pipe. FINISH: Polyester powder coated. May be free-standing or surface mounted.



### Vintage Parisian

Material Specifications: 2"x4" (Nom.) Wood or Recycled Plastic Slats (Seat Slats) 1/4" x 2.5" Steel Bar (Slat Supports) 1.66" O.D. x 11 Ga Steel Tube (Seat Frame) 1.32" O.D. x 14 Ga Steel Tube (Brace Tube) Cast Aluminum Leg Frames. Finish: Electrostatically applied polyester powder coating over E-Coated substrate. Hardware: Stainless Steel. Vandal Resistant (Frame Assembly). 1/4-20 Carriage Bolts, Stainless (Plank Assembly). Anchoring Hardware is not included.



JX Round Picnic Table

Frame: 1.66" OD ILG Steel Tube with 1" O.D. X-Brace Tubes. Mounting Plates: 3/16" Thick Steel Plate. Tops & Seats: 11 Ga. Steel perimeter frame, 13 Ga. Steel Panels: 3/16" Thick Plate Mounting Brackets Hardware: Stainless Steel



Victorian SUPPORTS: Heavy-duty cast iron. CROSS BRACE: 1 5/16" O.D. galvanized pipe. CENTER STRAP: 1/4" x 2" steel bar. SLATS: 2" x 3" nominal. Available with #1 pressure treated pine, redwood, Pau Lope®, or clear Douglas Fir. HARDWARE: Stainless Steel FINISH: Polyester powder coated frame.





### WorxTable

END SUPPORTS: 3/8" x 4 ½" steel bar with choice of 2 3/8" O.D. or 2 7/8" O.D. steel pipe. BRACING: 1 5/16" O.D. steel pipe and 11 gauge formed steel angle. SLATS: 3" x 4" and 3" x 6" nominal recycled plastic. FINISH: Polyester powder coated.





FIREBOX: 3/16" steel plate, 360° rotation, 15" x 20" x 10" high. COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter support handles. Equipped with cool grips and adjusts to four different height settings. 300-square-inch cooking area. FINISH: Heat resistant non-toxic black enamel.

**Double Standing** enamel.

## **COVERWORX 10 YEAR LIMITED WARRANTY**

Coverworx-Recreational Architecture, a division of Ross and Barr, Inc. (hereinafter "Coverworx") warrants that the structure or product purchased will be free from defects in materials and workmanship under normal use for period of ten (10) years from the delivery date. The entire liability of Coverworx and its suppliers, and the exclusive remedy shall be for Coverworx to repair and replace materials found to be defective. The repair or replacement of materials shall be at the expense of Coverworx. This limited warranty is void if any damage has resulted from abnormal use, abuse, accident, vandalism, poor installation, lack of maintenance, misapplication, service or modifications by someone other than Coverworx or its suppliers. This warranty excludes color fading within ten (10) nautical miles of any area retaining salt water or brackish water. Any replacement part under warranty is warranted for the remaining original warranty period or 1 year, whichever is longer.

In the event of a defect claim, Coverworx shall be notified in writing within thirty (30) days from discovery, no later than thirty (30) days from the receipt of the notice. Coverworx management will determine whether to repair or replace defective materials and respond in writing to advise how Coverworx will proceed on the warranty claim. Coverworx disclaims all other warranties, expressed or implied, including but not limited to, implied warranties of merchantability and fitness for a particular purpose for the product and any accompanying materials required for installation. Coverworx will not be liable for any damages arising out of the use or inability to use the product, regardless of whether notification of such damages has been given.

pressure treated pine, anodized aluminum, or recycled plastic. FINISH: Galvanized pipe with cold

galvanizing finish on all welds.



FIREBOX: 3/16" steel plate, 360° rotation, 24" x 36" x 10" high. COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter handles. Equipped with cool grips and adjusts to four different height settings. 864 total square-inch cooking area. FINISH: Heat resistant non-toxic black



Trash Cans

FRAME: 1/8" x 1" steel bar and 3/8" diameter steel bar. SLATS: 1" x 3" nominal. Available with #1 pressure treated pine or redwood. LINER: 22 gallon or 32 gallon plastic. FINISH: Frame and support powder coated black. • Receptacle factory assembled. FINISH: Polyester powder coated



Adjustable Camping

FIREBOX: 3/16" steel plate. Flips back for servicing. COOKING GRATE: 1/2" diameter steel bars with 5/8" diameter support handles. Equipped with cool grips and adjusts to four different height settings. 285-square-inch cooking area. FINISH: Heat resistant non-toxic black enamel











# **COVERWORX COLOR OPTIONS**

All Coverworx Steel Frame, Metal Roof and Trim work panels are available in the colors below. Mix and match to create a look that suits your needs and expresses your style. Choose a frame finish as well as a metal roof color from the following options. Contact our Coverworx sales staff for custom color information and further details.

## **ROOF COLORS**

### **McDonalds Yellow** Casco Orange **Champagne Metallic** Hartford Green **Texas Silver Metallic** Preweathered Gavalume Leadcoat Brandywine Terra Cotta Buckskin Silver Metallic Evergreen Almond **Bone White** Sandstone **Roman Blue** Dark Bronze Mansard Brown Matte Black Slate Gray **Colonial Red** Medium Bronze Ash Grey Patina Green Surrey Beige Brite Red **Copper Penny Regal Blue** Hartford Green Brandywine Evergreen **Regal White** Roman Blue Matte Black Clay Ash Gray **Regal White** Charcoal Surrey Beige Patrician Bronze Galvalume Plus

Shot blasted steel with factory applied zinc rich primer and TGIC Polyester (5-6 mil min. thickness on exterior and 3 mil min. thickness on interior).

Note: An Optional S upcharge.

# **COLOR OPTIONS**



**POWDER COATING (FRAME) COLORS** Standard RAL Powder colors are also available for only frame color choices

## Powder coating with zinc rich primer and TGIC polyester

Note: An Optional Super Durable TGIC and graffiti resistant TGIC color or clear coat is available for an





A Division of Ross & Barr, Inc.

WWW.COVERWORX.COM INFO@COVERWORX.COM

11800 EAST 9 MILE ROAD WARREN, MI 48089

OFFICE: (586) 486-1088 FAX: (586) 754-9130 TOLL FREE: (800) 657-6118